



# RGB LINEAR LED PROJECTOR

The RGB Linear LED Projector is perfect for giving that intense atmospheric wash of colour on your selected flat surface.

The colour effect is striking, undoubtedly effective and attention grabbing. Each ultra bright red, green and blue LED has 256 steps of color depth, providing you with virtually limitless colour selection. The RGB Linear LED Projectors are easily installed with the assistance of various mounting gears and rotating equipment, and can be controlled using a DMX or a standard RGB controller.



## RGB Linear LED Projector

# Technical Specifications


- LED source: Top available bin CREE XRE series
- Color: RGB color-changing
- Available optics: 8°, 12°, 30°, 8\*30°
- Soft focus Polycarbonate cover or clear Polycarbonate cover
  
- Power Rating: 50W
- Power Requirement: Min 24VDC, 2.1A
- Onboard constant current source
- Smart Thermal Management
- Active circuit re-routing
- Over-voltage protection
- Reverse polarity protection
- Fitted with thermal feedback circuitry to derate the brightness in case of overheating
- Working environment temperature: -20 +50°C
- Control method: DMX 512 standard RGB control protocol
  
- Weight: 2.5kg
- Material: Aluminum alloy body
- UV Stable Polycarbonate cover
- Finishes: Natural and Black Anodising 25 microns, custom finishes available
- All electronic components are sealed off with RTVC optical protective gel.
- IP rating: IP55/IP66/IP68
  
- Proudly made in Australia

## Dimensions

Unit Length: 581mm, 1112mm, 1643mm

Unit Width: 65mm


Unit Height: 45mm




We are constantly working on improving our products therefore specifications may change in the future.  
Please contact our marketing department for the latest specifications.

# RGB Linear LED Projector


flat mounting bracket



+/- 25 degrees mounting bracket



+/- 90 degrees mounting bracket



We are constantly working on improving our products therefore specifications may change in the future. Please contact our marketing department for the latest specifications.